



consoles you can count on

# Avtec Documentation

April 10, 2019



This PDF was created from documentation on [connect.avtecinc.com](https://connect.avtecinc.com). For the most current Avtec product documentation, go to [connect.avtecinc.com](https://connect.avtecinc.com).

If you have comments about this documentation, submit your feedback to: [Connectfeedback@avtecinc.com](mailto:Connectfeedback@avtecinc.com)

Specifications

<b>Channels</b>	Connects to 4 radios
<b>Operation Modes</b>	Autoconnect and manual
<b>Signaling</b>	SIP (compatible with RFC 3261)
<b>Interfaces</b>	12-inch gooseneck microphone 2 Ethernet ports External 48 VDC power input
<b>Management</b>	Browser-based: Internet Explorer, Google Chrome Upgradable application firmware via file upload
<b>Power</b>	48 VDC, 1/2 A, external power supply 48 VDC, IEEE 802.3af, Alt A & B, power over Ethernet (PoE) compliant
<b>Thermal</b>	3 Watts 10 BTU/hr Cooling – ambient air
<b>Network Requirements</b>	100 Base T (full duplex)

Size Specifications

<b>Base W/D/H</b>	4 in/5.5 in/5.5 in (102 mm/140 mm/140 mm)
<b>Gooseneck Microphone</b>	12 in (305 mm)